

SPECIFICATIONS

PERCENT OPEN AREA	Per Design ¹
*WEIGHT PER SQ FT	Per Design ¹
**OPENING LIMITATION	Per Design ¹
OVERALL THICKNESS	Per Design ¹
ASPECT RATIO	Per Design ¹
CRIMP STYLE	SJD
MAX SIDE A DIMENSION	168 inches
MAX SIDE B DIMENSION	96 inches
AVAILABLE ALLOYS	
Stainless, Mild Steel, Bronze, Brass, Copper, Pre-Galv, Galfan	

NOTES

QTY	B	A




Customization: Alloy configurations and sheet dimensions may be customizable depending on project design. For more information on the manufacturing capabilities of this mesh, please contact us.

**Weight based on the specific density of stainless steel*

***Maximum sphere diameter which will pass through opening*

Product specifications are subject to change. Product image is shown at 100% unless stated otherwise. For accuracy, specification sheet must be printed with no scaling. Measurements and data are approximate and should be confirmed with a physical sample.




Percent Open Area, Weight Per Square Foot, Opening Limitation, and Aspect Ratio measurements are customizable and are dependent on final design. For more information, please contact sales@bankerwire.com

VARIABLE
SPACING
AT ODD
INTERVALS

0.25"

SJD-4 offers “variable pitch,” meaning that designers have complete control over the weave’s appearance. The designer determines the distance between wires – controlling density, percent open area and pattern.



“Banker Wire was able to control the density of the mesh to serve two purposes, the first was to create tight spacing around the periphery of the sign, reducing visibility through to the next space and creating a ‘moiré’ effect of movement. The second was to create a more open space in the middle, allowing the SOA logo to be more apparent.”

Robbie Price – Architect, Simon Oswald Architecture

